
EP 700 + SYLOMER®





The EP 700 + Sylomer® type anti-vibration mounts have a direct fixing. This allows a simple and quick installation without the use of threaded rods.

The EP 700 + Sylomer® is particularly suitable for wooden ceilings, it is usually fixed to the ceiling with two screws.













EP 700 + SYLOMER®





DRAWINGS











DIMENSIONS

Туре	SUMMARY	Weight (kg)	Max. Load (kg)	Code
EP 700 + Sylomer®15	They are secured by two "predrilled" and bent pins to facilitate their installation. This principle can be used to make a wide range of variants. Contact us if you require a product more adapted to your building technique.	0,201	15	23727
EP 700 + Sylomer 30	They are secured by two "predrilled" and bent pins to facilitate their installation. This principle can be used to make a wide range of variants. Contact us if you require a product more adapted to your building technique.	0,206	30	23711
EP 700 + sylomer 50	They are secured by two "predrilled" and bent pins to facilitate their installation. This principle can be used to make a wide range of variants. Contact us if you require a product more adapted to your building technique.	0,208	50	23728
EP 700 + Sylomer 75	They are secured by two "predrilled" and bent pins to facilitate their installation. This principle can be used to make a wide range of variants. Contact us if you require a product more adapted to your building technique.	0,216	75	23712







EP 700 + SYLOMER®

Elastical properties

